

DENON DJ



engine
PRIME

User Guide

English

Table of Contents

| | |
|--|-----------|
| Introduction..... | 6 |
| Support..... | 6 |
| Installation..... | 6 |
| About Engine Prime | 6 |
| Engine Prime Library vs. Engine Prime Target | 6 |
| Overview..... | 7 |
| Toolbar | 7 |
| Deck..... | 8 |
| Deck Modes | 9 |
| Track Info | 9 |
| Grid Edit Controls | 10 |
| Loop & Beat Jump Controls | 10 |
| Collection Pane | 11 |
| Filter Boxes | 12 |
| Track List | 13 |

| | |
|---|-----------|
| Operation..... | 14 |
| Launching Engine Prime..... | 14 |
| Adjusting Settings | 14 |
| Preferences | 14 |
| Performance | 14 |
| Library..... | 15 |
| Using USB Drives | 17 |
| User Profiles | 18 |
| Profile Preferences | 18 |
| Importing Libraries..... | 21 |
| Using an iTunes/Apple Music® Library | 21 |
| Importing iTunes/Apple Music Playlists..... | 21 |
| Using a Serato Library..... | 22 |
| Importing Serato Crates | 22 |
| Using a Traktor® Library | 23 |
| Importing Traktor Playlists | 23 |
| Using a Rekordbox® Library | 24 |
| Importing Rekordbox Playlists | 24 |
| Adding & Deleting Tracks..... | 25 |
| Sync Manager..... | 26 |
| Export to External Device..... | 26 |
| Sync Metadata to Engine Prime..... | 27 |
| Searching for Tracks..... | 28 |

| | |
|----------------------------------|---------------|
| Using Crates | 29 |
| Creating Crates | 29 |
| Adding & Deleting Tracks | 29 |
| Moving & Editing Crates | 29 |
| Deleting Crates | 29 |
| Exporting Crates | 29 |
| Using Playlists | 30 |
| Creating Playlists | 30 |
| Adding & Deleting Tracks | 30 |
| Moving & Editing Playlists | 30 |
| Deleting Playlists | 30 |
| Exporting Playlists | 30 |
| Editing Tracks | 31 |
| Beat Points | 32 |
| Cue Points | 32 |
| Hot Cue Points | 33 |
| Loop Points | 34 |
| ID3 Tags | 36 |
| Re-Analyzing Tracks | 36 |
| Showing the Track Location | 36 |

| | |
|--|-----------|
| Appendix | 37 |
| Troubleshooting | 37 |
| Keyboard Shortcuts | 38 |
| Utility..... | 38 |
| Navigation | 38 |
| Transport | 39 |
| Playback..... | 39 |
| Technical Specifications..... | 40 |
| Trademarks & Licenses | 40 |

Introduction

Thank you for downloading Engine Prime. At Denon DJ, we know how serious music is to you. That's why we design our software with only one thing in mind—to make your performance the best it can be.

Support

For the latest information about this product (documentation, technical specifications, system requirements, compatibility information, etc.), visit enginedj.com.

For additional product support, visit denondj.com/support.

Installation

1. Double-click the **.exe** (Windows®) or **.dmg** (macOS®) installer file you downloaded.
2. Follow the on-screen instructions.

Important: Engine Prime v1.1 and later are not backwards compatible with Engine Prime v1.0. Switching back to v1.0 may cause undesired behavior and loss of collection integrity. We recommend backing up the **Music/Engine Library** folder as an extra safety precaution before upgrading.


About Engine Prime

Engine Prime Library vs. Engine Prime Target


Engine Prime Library refers to a database on your computer that contains all the tracks you use with Engine Prime. You can add tracks stored on the computer's internal hard drive or an external USB hard drive or flash drive connected to the computer. You can even create databases that span multiple drives. We recommend a database of up to 50,000 tracks to optimize search speeds.

An **Engine Prime Target** refers to a database on your USB hard drive or flash drive. You can add tracks to your **Engine Prime Target** from your **Engine Prime Library**. Your Engine OS DJ player searches for music using an Engine Prime Target database. Each USB drive can have an independent Engine Prime Target database on it, so if your player lets you connect multiple USB drives, you can use it to access multiple Engine Prime Targets.

Preparing



Performing



Overview

This is an overview of the different areas of Engine Prime's main software window. Click a name to jump to its Overview chapter: [Toolbar](#), [Deck](#), [Collection Pane](#), [Filter Boxes](#), or [Track List](#).




Toolbar

The toolbar gives a quick status overview of the application and allows the user to change modes or behavior quickly.




1. **Clock:** Displays the system time in the localized format of the computer.
2. **Dual Layer:** Click here to switch between single and dual layer track view configurations.
3. **Battery Meter:** Shows the percentage of battery life left if the computer has a battery.
4. **Preferences:** Opens the Preferences window. See [Operation > Adjusting Settings > Preferences](#) to learn more.
5. **Tooltips:** When enabled, mousing over a feature will show relevant information.
6. **Full Screen:** Switches the application to full screen view (Windows only. For Mac, use the full screen button in the top left corner of the window).

Deck




1. **Track Title:** This field displays the title of a loaded track.
2. **Artist Name:** This field displays the credited artists of a loaded track.
3. **Deck Modes:** Click one of these icons to view **Track Info**, **Grid Edit Controls**, or **Loop & Beat Jump Controls**. See [Deck Modes](#) to learn more.
4. **Eject:** Click this icon to eject the track from the deck.
5. **Previous Track / Restart Track:** Loads the previous track in the track list or restarts a currently playing track.
6. **Next Track:** Loads the next track in the track list.
7. **Cue:** Sets the cue point of the track when paused. If a track is playing, pressing Cue brings the play position back to the cue point. See [Operation > Editing Tracks > Cue Points](#) to learn more.
8. **Play/Pause:** Starts, resumes or pauses playback.



9. **Audio Waveform:** This large waveform represents a section of the current track. The waveform is color-coded to indicate the frequency of the audio signal: **blue** represents low-frequency (bass) content, **green** represents mid-range-frequency content, and **white** represents high-frequency (treble) content. This will also show the current playback position, cue point, hot cue points, loop points, and beat points.

Click and drag the waveform to “scratch” and move through the track.

Hovering your mouse cursor over the audio waveform will display Zoom In (+) and Zoom Out (-) buttons on the right side. Press these to change the zoom level for both layers.




10. **Track Overview:** This smaller waveform represents the entire current track. The waveform is color-coded to indicate the frequency of the audio signal: **blue** represents low-frequency (bass) content, **green** represents mid-range-frequency content, and **white** represents high-frequency (treble) content. This includes the current playback position, cue point, hot cue points, and loop points.

Click a location in this overview during playback to skip immediately to that position in the track. The **audio waveform** above (or below) it will change to show the new position.

11. **Performance Pads:** Click these buttons to set hot cues and saved loops. Your performance points are automatically saved to the track. Right-click a populated pad to rename, clear, or change the color of a hot cue or saved loop.

12. **Hot Cue:** Click this icon to set the **Performance Pads** to Hot Cues. Add up to 8 hot cues per track by selecting an available pad. Trigger a hot cue by clicking a populated pad. Edit the name or color of a hot cue by right-clicking a populated pad. Delete an existing hot cue by shift-clicking. See [Operation > Editing Tracks > Hot Cue Points](#) to learn more.
13. **Loop:** Click this icon to set the **Performance Pads** to Loops. Add up to 8 saved loops per track by clicking once on an available pad to set your loop in point and clicking again on the same pad to set the loop out point. Trigger a saved loop by clicking a populated pad. Edit the name or color of a saved loop by right-clicking a populated pad. Delete an existing saved loop by shift-clicking. See [Operation > Editing Tracks > Loop Points](#) to learn more.
14. **Time Counter:** This field displays the elapsed or remaining time of the track. Click the field to switch between the modes.
15. **Sync Mode:** Click this icon to automatically match the BPM and phase of the decks to each other. Hold **Shift** and click this icon to disable Sync Mode.
16. **Current Tempo:** This field displays the current playback tempo based on the tempo of the track as adjusted by the speed slider.
17. **Key:** This field displays the key of the loaded track, if known. Click this field to enable or disable **Key Lock**, which allows for the track to be played in the original key regardless of speed. When Key Lock is disabled, changing the track's speed will also change the key.
18. **Speed:** This field displays the current playback speed offset. Click and drag within the field to adjust the playback speed. Double-click within the field to reset the speed offset to 0.
19. **Range:** This field displays the maximum range of the available playback speed. Click within the field to cycle through the available ranges.
20. **Beat Counter:** Provides a visual reference of the current beat of the measure.
21. **Crossfader:** When using Dual Layer, the crossfader adjusts the volume balance between Layer A and Layer B. Double-click the crossfader to evenly balance layer volume.



Deck Modes

Track Info

1. **Album Art:** This field displays the album artwork of the current track.
2. **BPM:** This field displays the tempo of the current track as a BPM value (beats per minute). Engine Prime automatically detects this value when Auto Analyze is set to **On** (see [Operation > Adjusting Settings > Preferences](#) to learn about this).
3. **Key:** This field displays the original key of the current track, if known. Engine Prime automatically detects this information when Auto Analyze is set to **On** (see [Operation > Adjusting Settings > Preferences](#) to learn about this).
4. **Rating:** This field allows you to rate a track from 1–5 stars. To remove a rating, click to the left of the first star.



Grid Edit Controls


1. **Downbeat Left/Right:** Moves downbeat based on the current analyzed grid.
2. **Grid Left/Right:** Moves or "slips" the entire grid left or right.
3. **BPM:** This field displays the tempo of the current track as a BPM value. Click inside this field to edit it using your keyboard.
4. **+ / - BPM:** Increases or decreases the BPM in small increments when pressed.
5. **/2 and 2X:** Halves or doubles the current BPM.
6. **Tap Tempo:** Manually sets tempo based on repeated taps.
7. **Reset:** Resets to the original analyzed tempo and grid.
8. **Move Anchor:** Moves the closest anchor to the playhead, allowing for warping of songs with fluctuating tempos.
9. **Delete Anchor:** Deletes the closest anchor within a few beats.



Loop & Beat Jump Controls


Auto / Jump: Select this option to create a loop of a set size.

1. **Value Display:** Displays the current auto loop and beat jump resolution.
2. **/2 and X2:** Use these buttons to set the auto loop and beat jump resolution to **1/32**, **1/16**, **1/8**, **1/4**, **1/2**, **1**, **2**, **4**, **8**, **16**, **32**, or **64** beats.
3. **Loop:** Activates or deactivates a loop.
4. **Jump Back and Jump Forward:** Click one of these buttons to jump back or forward by the set length.



Manual: Select this option to manually set loop points.

1. **Halve Loop:** Click this to reduce the length of the loop by half.
2. **Double Loop:** Click this to double the length of the loop.
3. **Shift Left:** Click this to shift the loop one measure to the left, based on the current beat grid.
4. **Shift Right:** Click this to shift the loop one measure to the right, based on the current beat grid.
5. **Loop In:** Click this to set a Loop In point.
6. **Loop Out:** Click this to set a Loop Out point.
7. **Loop Enable:** Click this to enable (or disable) the Loop.
8. **Re-Loop:** Click this to start the Loop from the beginning.



Collection Pane

The Collection pane lets you browse your Engine Prime Library and Engine Prime Target device databases on any connected USB drives.

1. **Crates:** Displays the entire music library and all crates. Crates are used to organize tracks into custom categories. Tracks that appear in sub-crates will also appear in parent crates.

See [Operation > Using Crates](#) to learn more.

2. **Playlists:** Displays all playlists. Playlists are ordered organization tools that can be used to plan music sets.

See [Operation > Using Playlists](#) to learn more.

3. **iTunes/Apple Music Library:** Displays a read-only version of your iTunes/Apple Music Library. Import your Library by clicking the **Update Library** button.

See [Operation > Importing Libraries > Using an iTunes/Apple Music® Library](#) to learn more.

4. **Serato Library:** Displays a read-only version of your Serato Library. Import your Serato Library by clicking the **Update Library** button.

See [Operation > Importing Libraries > Using a Serato Library](#) to learn more.

5. **Traktor Library:** Displays a read-only version of your Traktor Library. Import your Traktor Library by clicking the **Update Library** button.

See [Operation > Importing Libraries > Using a Traktor® Library](#) to learn more.

6. **Rekordbox Library:** Displays a read-only version of your Rekordbox Library. Import your Rekordbox Library by clicking the **Update Library** button.

See [Operation > Importing Libraries > Using a Rekordbox® Library](#) to learn more.

7. **File System Browser:** Use the system file browser to browse the file structure of all attached drives. Compatible tracks appear in the track list and can be added to the database by dragging to either the collection, a crate, or a playlist.

8. **Search:** Click this field, and then use your computer keyboard to enter text to search for it in your tracks. Click the magnifying glass (P) to modify your search fields. Click **X** to clear your search.


See [Operation > Searching for Tracks](#) to learn more.

9. **Devices:** Click this icon to show or hide the media devices panel, which will show any connected Engine Prime Target devices.

See [Operation > Using USB Drives](#) to learn more.

10. **Sync Manager:** Click this icon to open the Sync Manager tool, which allows you to sync tracks and data between your Engine Prime library and an external USB hard drive or flash drive connected to the computer.

11. **History:** A list of already-played tracks. The tracks loaded into the player are automatically added in their playback order. You can view the playback history for the last **100** tracks.



Filter Boxes

| Genre | Artist | Album | BPM ±3 ▼ | Key Match ▼ |
|-------------------|-----------------------------|--|----------|-------------|
| Progressive House | Go Freek | Enigma | All | All |
| Quirky Bassline | Grimelock | Esquizofrenia EP | 98 | 8B |
| R&B | Guerilla Tech | Eternal Return, Pt. 1 | 110 | 8A |
| Tech House | Hardkiss, God Within | Eton Messy In:Season | 112 | 9B |
| Techno | Hawke, Hardkiss | Etude Electronique IV - A French Way of Deep ... | 118 | 9A |
| | Heliotype | Evolution (Deluxe Edition) | 119 | 10B |
| | Him_Self_Her, Kieran Fowkes | Exchange Place | 120 | 10A |

The 5 filters enable you to display tracks only when they belong to the category/categories you select. The available categories are: **Genre**, **Artist**, **Album**, **BPM**, and **Key**. You can select one or more categories in each filter column.

To show or hide the filters, click the **Filters** button in the lower right corner of the Engine Prime window.

To select a category in a filter column, click it.

Note: Filters can be used in combination with a word search.

To select multiple categories in a filter column, press and hold **Ctrl** (Windows) or **⌘** (macOS) and click each one. You can also press and hold **Shift** to select all categories from the currently selected one to the one you click.

The **BPM** and **Key** categories can also be refined to expand your search results:

- **BPM Range:** This setting determines the “tolerance” of the **BPM** filter so you can include tracks with tempos that are within a small range of the selected tempo. Select **±0**, **1**, **2**, **3**, **5**, **10**, or **15**.
- **Key Compatibility:** This setting determines whether the **Key** filter shows tracks with the same key only (**Match**) or tracks with harmonically compatible keys (**Compatible**).

Note: When searching in a range of BPM or in multiple Keys, all matching selections will be highlighted in the filter boxes.

Track List



1. **Columns:** Click the top of a column to sort the track list by that column.

To select the columns to display, right-click a column and then select any of the following options:

| | | | | |
|----------------|----------------|----------------|------------------|---------------------|
| Preview | Length | Grid | Label | Directory |
| Art | BPM | Packed | Composer | Date Created |
| Title | Key | Track # | Mixartist | Date Added |
| Artist | Rating | Genre | Filename | Drive |
| Album | Comment | Year | File Type | File Size |

Columns can be rearranged by clicking and dragging a column into a new position in the Track List panel, or by right-clicking a column and clicking and dragging the column name into a new position in the menu that appears.

2. **Track List:** This field displays the information for all tracks in the currently selected location. The tracks are sorted by column. The bottom of the window displays the total number of tracks in the list.

To edit information for a track, click it to select it, and then click a field to edit the meta data. You can edit information for any of the following columns:


| | | | | | |
|---------------|--------------|----------------|----------------|--------------|------------------|
| Title | Album | Rating | Track # | Year | Composer |
| Artist | Key | Comment | Genre | Label | Mixartist |

When you are done editing, press **Enter** on your computer keyboard to save your edits.

To edit information on multiple tracks, hold **Shift** to select the tracks, and then click a field while still holding Shift. When you press enter, a window will appear to confirm you want to change the metadata for the tracks.

Double-click a track to load it to Layer A.

3. **Job Monitor:** While jobs such as analyzing tracks or packing crates to a device are running, the Job Monitor will show a progress bar to indicate the current status. You can click the progress bar to view a list of Running and Queued Jobs and cancel one or all jobs at any time. The progress bar will show "No jobs running" when there are no jobs in progress or queued.
4. **Filters:** Click this icon to open or close the Filter Boxes. See [Filter Boxes](#) to learn more.



Operation

Launching Engine Prime

To open Engine Prime:

- **On Windows:** Click **Start** (the Windows icon), type **Engine Prime**, and click to select.
- **On macOS:** In your **Applications** window, double-click **Engine Prime**.



Adjusting Settings

The first time you use Engine Prime, configure the settings described in this chapter.

Preferences

Click the **Preferences** icon in the Toolbar to open the Preferences window. This window contains two tabs, **Performance** and **Library**. Click each tab to view and edit its settings, described below.

Performance

Audio


Use these settings to adjust your audio playback options.

- **Audio Device:** The output device used for playing tracks.
- **Sample Rate:** The sampling frequency used by the audio output device.
- **Buffer Size:** The buffer size used by the audio output device.
- **Output:** The audio channels used by the audio output device for playing tracks.

Playback

Use these settings to adjust track playback options.

- **Track Start Position:** This setting determines where the beginning of a track is after it loads. Select the automatically detected beginning of an audio signal (**Cue Position**) or the actual start of the file (**Track Start**).
- **Sync Mode:** The degree of synchronization applied when you press the **Sync** button.
 - o **Bar:** The tempo will be synced, and the track will be automatically bar-matched with the track on the master deck (the downbeats of each bar will be aligned).
 - o **Beat:** The tempo will be synced, and the track will be automatically beat-matched with the track on the master deck.
 - o **Tempo:** Only the tempo will be synced (the BPM will match that of the master deck).
- **Cue/Loop Quantization:** The degree of quantization for time-based features: hot cue points, loops, and loop rolls. Select **Off**, **1/8**, **1/4**, **1/2**, **1**, or **4** beats.
- **Time Format:** This setting determines whether or not pitch adjustment affects how the track time is displayed. When set to **Static**, the track's time corresponds to locations in the track as usual; adjusting the pitch does not affect it. When set to **Dynamic**, the track's time will automatically adjust to account for changes in pitch. For instance, if you set the pitch fader to **-8%**, the track time will increase so it is 8% longer.
- **Waveform Zoom:** Sets the level of scrolling waveform zoom, from **3** seconds to **30** seconds.



Library

Analysis

Use these settings to adjust the track analysis options.


- **Auto Analysis:** This setting determines whether or not Engine Prime will automatically analyze track information when you add files. Select **On** to automatically analyze track information, or **Off** to disable.
- **Key Notation:** This setting determines how the track key is notated in the display. You can view the key as all **Sharps**, all **Flats**, **Open Key**, or **Camelot**.
- **BPM Range:** Sets the minimum and maximum guidelines for BPM analysis. Select **58–115**, **68–135**, **78–155**, **88–175**, or **98–195**.

Note: If too narrow of a BPM range is set, either min or max may be exceeded.

Engine Prime supports the following file types:

| | |
|---|--------------------------------------|
| AAC/M4A | MP3 (32–320 kbps + VBR/CBR) |
| AIF/AIFF (44.1–192 kHz, 16–32-bit) | MP4 |
| ALAC | Ogg Vorbis |
| FLAC | WAV (44.1–192 kHz, 16–32-bit) |

Important: DRM-protected files cannot be added.



Integration

Use these settings to set up a Library to use during offline editing:

- **iTunes Library:** This setting turns iTunes/Apple Music library support **On** or **Off**. When enabled, the library, including playlists, will be available in Engine Prime. This will also import ratings from files added in the library. See [Using an iTunes/Apple Music® Library](#) to learn more. When disabled, the iTunes/Apple Music icon will disappear from the Collections pane. Use the **Location...** button to select the location of your library XML file if needed.
- **Serato Library:** This setting turns Serato library support **On** or **Off**. When enabled, the Serato library, including crates (except smart crates), will be available in Engine Prime. This will also import Serato Cue and Loop points from files added in the Serato library. See [Using a Serato Library](#) to learn more. When disabled, the Serato icon will disappear from the Collections pane.
- **Traktor® Library:** This setting turns Traktor library support **On** or **Off**. When enabled, the Traktor library, including playlists, will be available in Engine Prime. This will also import Traktor hot cues from files added in the Traktor library. See [Using a Traktor® Library](#) to learn more. When disabled, the Traktor icon will disappear from the Collections pane.
- **Rekordbox® Library:** This setting turns Rekordbox library support **On** or **Off**. When enabled, the Rekordbox library, including playlists, will be available in Engine Prime. This will also import Rekordbox hot cues and memory loops from files added in the Rekordbox library. See [Using a Rekordbox® Library](#) to learn more. When disabled, the Rekordbox icon will disappear from the Collections pane.

Support

Use this setting to configure MCX8000 compatibility with Engine Prime:

- **Enable MCX8000 Compatibility:** When set to **On**, Engine Prime will support one directional database conversions to the legacy MCX8000 format.

System

Use these tools to manage your Engine Prime library.

- **Library Backup:** This tool allows you to create a backup of your Engine Prime library. Click **Backup** to create a backup of your current library. While the backup is in progress, do not close Engine Prime or shut off your computer. Click **Restore** to overwrite the current library with the latest backup created. In the window that appears, click **Yes** to continue or **No** to return to the previous page.
- **Library Optimization:** This tool allows you to clear the database of un-needed information. Click **Run Cleanup** to perform. While the cleanup is in progress, do not close Engine Prime or shut off your computer.

Using USB Drives

To prepare a USB hard drive or flash drive to use with an Engine OS player, you will need to create an **Engine Prime Target** database on the USB drive. When a player plays the tracks on the USB drive, it will reference its Engine Prime Library database information, resulting in a smoother performance. Each USB drive can have an independent Engine Prime Target database on it, so if your player lets you connect multiple USB drives, you can use it to access multiple Engine Prime Targets.

An Engine Prime Target database includes information to enable the following features:

| | | | | |
|------------------|-----------------------|--------------------|----------------------|----------------------|
| Crates | Cue Points | Loop Points | BPM | Filter Search |
| Playlists | Hot Cue Points | Beat Points | Waveform Data | Word Search |

Important:

An Engine Prime Target database requires approximately **500 MB** of free space on your USB drive.

Make sure your player supports the USB drive's file system format and capacity. When formatting a USB drive for an Engine Prime Target database, we recommend using a FAT32 partition type for the best performance.

Tracks contained in a database on an external drive will also appear in the main database. Songs that have been copied to a drive will have a dot (•) in the **Packed** column of the Track List.

Before adding tracks, playlists, or crates to a USB drive, make sure your USB drive is properly connected to your computer. The drive will appear in the Devices panel when it is connected.

To access connected drives in Engine Prime, click the **Devices** icon in the Collection pane. A new pane will appear and show any connected drives.

To learn how to add tracks to a USB drive, see [Adding & Deleting Tracks](#).

To learn how to add a playlist to a USB drive, see [Using Playlists](#).


To learn how to add a crate to a USB drive, see [Using Crates](#).

To resync track info, click the **Resync Track Info** button in the media devices panel. This will resync any changes to cues, loops, beat grid, and meta tag data back to the main database.

To edit the configuration settings for the USB drive, click the **Profile Preferences** icon in the media devices panel. See [User Profiles](#) below for more information.

To eject a connected USB drive:

1. Press the **Eject** button in the media devices panel.
2. An alert window will appear. Click **Eject** to eject the drive, or click **Cancel** to leave it connected to Engine Prime.



User Profiles


User Profiles are configuration settings that can be saved to your USB hard drive or flash drive and loaded to your Engine OS player.

To edit user profile preferences, click the **Profile Preferences** icon in the Devices panel.

Profile Preferences


Playback

- **Motorized Platter Start:** This setting determines how quickly your track starts to play. When set to **Normal**, the track will play in relation to the motor start-up speed. When set to **Instant**, the song will begin immediately, and the motor and platter will catch up to the song within a few milliseconds.
- **Track Start Position:** This setting determines where the beginning of a track is after it loads. Select the automatically detected beginning of an audio signal (**Cue Position**) or the actual start of the file (**Track Start**).
- **Default Speed Range:** This setting determines the range of the **pitch fader**. Select **±4%**, **8%**, **10%**, **20%**, or **50%**.
- **Sync Mode:** This setting determines the degree of synchronization applied when you press the **Sync** button:
 - o **Bar:** The tempo will be synced, and the track will be automatically bar-matched with the track on the master unit (the downbeats of each bar will be aligned).
 - o **Beat:** The tempo will be synced, and the track will automatically be beat-matched with the track on the master unit.
 - o **Tempo:** Only the tempo will be synced (the BPM will match that of the master deck).
- **Sync Button Action:** This setting determines how the **Sync** button will act when pressed:
 - o **Toggle:** This mode allows you to toggle sync on and off without having to hold **Shift**.
 - o **Shift Disable:** This mode requires **Shift** to be held in order to turn off sync.
- **Pitch Control Type:** This setting determines the primary function of the Pitch Bend buttons. Select **Pitch Bend** to keep the primary function as momentarily reducing or increasing the pitch, or select **Range** to set the primary function to adjusting the range of the pitch fader. The function not used as the primary will still be available by holding **Shift** and using the **Pitch Bend** buttons.




Cues/Loops

- **Cue/Loop Quantization:** This setting determines the degree of quantization for time-based features: hot cue points, loops, and loop rolls. Select **1/8**, **1/4**, **1/2**, **1**, or **4 Beats**.
- **Paused Hot Cue Behavior:** This setting determines the behavior for hot cues when playback is paused. Select **Momentary** for the hot cue to play only while the pad is held, or select **Trigger** for the hot cue to continue playing once the pad is pressed.
- **Default Loop Size:** This setting determines the default size for loops. Select **1**, **2**, **4**, **8**, or **16 Beats**.
- **Smart Loops:** This setting determines whether or not a manual loop will be automatically expanded or reduced to a conventional length (e.g., 2 beats, 4 beats, 8 beats, etc.) when you set it. Select **On** or **Off**. This setting works independently of the quantization setting.




Display

- **Track Title:** This setting determines how tracks appear on your controller. Select **Filename** to show only the track's file name, or select **Metadata** to show the track's ID3 tags.
- **Time Format:** This setting determines whether or not pitch adjustment affects how the track time is displayed. When set to **Dynamic**, the track's time will automatically adjust to account for changes in pitch. For instance, if you set the pitch fader to **-8%**, the track time will increase so it is 8% longer. When set to **Static**, the track's time corresponds to locations in the track as usual; adjusting the pitch does not affect it.
- **Track End Warning:** This setting determines how long before the end of a track that the controller will warn you it is nearing the end. Select **Off** to disable Track End Warning, or select a time between **1 second** and **90 seconds**.
- **On Air Mode:** This setting changes the platter ring illumination when the channel fader on a compatible Denon DJ mixer or controller is up or down, indicating an active or "on air" deck. When this setting is **On**, raising the channel fader will change the platter color from **white** to the selected color. When this setting is **Off**, the user-selected color will always be shown regardless of the channel fader position.



Safety

- **Lock Playing Deck:** This setting determines whether or not you will be able to load a track to the deck as it is playing. Select **On** or **Off**. When this setting is on, the deck must be paused in order to load a track to it.
- **Needle Lock:** This setting determines whether or not you can click the **track overview** in the display to jump to that location in the track during playback. Select **On** or **Off**. You can use the track overview while playback is stopped regardless of this setting.
- **Pad Lock:** This setting determines whether the pads and pad mode buttons (**Hot Cue**, **Loop**, **Roll**, **Slicer**) are enabled or disabled. Select **On** or **Off**.



Library

- **Key Notation:** This setting determines how the track key is notated in the display. You can view the key as all **Sharps**, all **Flats**, **Open Key**, or **Camelot**.
- **Key Filter:** This setting determines whether the **Key** filter shows tracks with the same key only (**Match**) or tracks with compatible keys (**Compatible**).
- **BPM Range:** Sets the minimum and maximum guidelines for BPM analysis. Select **58–115**, **68–135**, **78–155**, **88–175**, or **98–195**.
- **BPM Filter Tolerance:** This setting determines the “tolerance” of the **BPM** filter so you can include tracks with tempos that are within a small range of the selected tempo. Select **±0**, **±1**, **±2**, **±3**, **±5**, **±10**, or **±15**.

LIBRARY

| | | | | |
|----------------------|----------|--------|---------------|----------------|
| Key Notation | Sharps | Flats | Open Key | Camelot |
| Key Filter | | | Match | Compatible |
| BPM Range | 58-115 | 68-135 | 78-155 | 88-175 98-195 |
| BPM Filter Tolerance | ±0 ±1 ±2 | | ±3 | ±5 ±10 ±15 |

Deck Colors

These settings determine the colors of the light ring around the platter for each deck or each layer on each player.

Use the **product** field to select the compatible Denon DJ product that the device will be used with.

Click the arrows under the desired Deck or Player, and then click a color to select it.

DECK COLORS

Product **SC5000/M**

| | PLAYER 1 | PLAYER 2 | PLAYER 3 | PLAYER 4 |
|---------|----------|----------|----------|----------|
| LAYER A | ▼ | ▼ | ▼ | ▼ |
| LAYER B | ▼ | ▼ | ▼ | ▼ |

Importing Libraries

Using an iTunes/Apple Music® Library

If you use iTunes/Apple Music® on your computer, you can add tracks from your library into your Engine Prime Library and Engine Prime Target databases. This will also import your ratings from files added in your library.

To view tracks in your iTunes/Apple Music library:


1. Make sure iTunes Library Integration is set to **On** in the Library Preferences menu. See [Operation > Adjusting Settings > Preferences](#) to learn about this.
2. Click the **iTunes/Apple Music** icon in the Collection pane.
3. Click **Update Library**. Your library will appear in the track list (this may take a few minutes if you have a large library).

Tip: You can search for tracks in the iTunes/Apple Music library as you normally would in **Engine Prime**. See [Searching for Tracks](#) to learn about this.

To add tracks from iTunes/Apple Music to your Engine Prime Library or Engine Prime Target database, use one of the following methods:

- Click and drag them from the track list to the **Collection** icon of your **Engine Prime Library** or **Engine Prime Target**. You can also drag the tracks directly to a crate or sub-crate.
- Right-click on the track(s) and select **Add Tracks to Collection** in the menu that appears.

To select multiple tracks, press and hold **Ctrl** (Windows) or **⌘** (macOS) and click each one. You can also press and hold **Shift** to select all tracks from the currently selected one to the one you click.



Importing iTunes/Apple Music Playlists

Engine Prime also allows you to import iTunes/Apple Music playlists as Engine Prime playlists or crates.

To import iTunes/Apple Music playlists, use one of the following methods:

- Right-click the playlist and choose **Import as Playlist** or **Import as Crate**.
- Click and drag the playlist directly to the Collection pane. This will create a playlist or a crate, depending on where you drag the playlist to.

Using a Serato Library

If you use Serato on your computer, you can add tracks from your Serato library into your Engine Prime Library and Engine Prime Target databases. This will also import Serato Cue and Loop points from files added in the Serato library.

To view tracks in your Serato library:


1. Make sure Serato Library Integration is set to **On** in the Library Preferences menu. See [Operation > Adjusting Settings > Preferences](#) to learn about this.
2. Click the **Serato** icon in the Collection pane.
3. Click **Update Serato Library**. Your Serato library will appear in the track list (this may take a few minutes if you have a large Serato library).

Tip: You can search for tracks in the Serato library as you normally would in **Engine Prime**. See [Searching for Tracks](#) to learn about this.

To add tracks from Serato to your Engine Prime Library or Engine Prime Target database, use one of the following methods:

- Click and drag them from the track list onto the **Collection** icon of your **Engine Prime Library** or **Engine Prime Target**. You can also drag the tracks directly to a crate or sub-crate.
- Right-click on the track(s) and select **Add Tracks to Collection** in the menu that appears.

To select multiple tracks, press and hold **Ctrl** (Windows) or **⌘** (macOS) and click each one. You can also press and hold **Shift** to select all tracks from the currently selected one to the one you click.



Importing Serato Crates

Engine Prime also allows you to import Serato crates (except smart crates) as Engine Prime playlists or crates.

To import Serato crates, use one of the following methods:

- Right-click the Serato crate and choose **Import as Playlist** or **Import as Crate**.
- Click and drag the Serato crate directly to the Collection pane. This will create a playlist or a crate, depending on where you drag the Serato crate to.

Using a Traktor® Library

If you use Traktor® on your computer, you can add tracks from your Traktor library into your Engine Prime Library and Engine Prime Target databases. This will also import Traktor ratings from files added in the Traktor library.

To view tracks in your Traktor library:

1. First, make sure you have exported your Traktor library as an NML file.
2. In Engine Prime, make sure Traktor Library Integration is set to **On** in the Library Preferences menu. See [Operation > Adjusting Settings > Preferences](#) to learn about this.
3. Click the **Traktor** icon in the Collection pane.
4. Click **Update Traktor Library**.
5. Locate the NML file you exported from Traktor and click **Open**. Your Traktor library will appear in the track list (this may take a few minutes if you have a large Traktor library).

Tip: You can search for tracks in the Traktor library as you normally would in **Engine Prime**. See [Searching for Tracks](#) to learn about this.

To add tracks from Traktor to your Engine Prime Library or Engine Prime Target database, use one of the following methods:

- Click and drag them from the track list to the **Collection** icon of your **Engine Prime Library** or **Engine Prime Target**. You can also drag the tracks directly to a crate or sub-crate.
- Right-click on the track(s) and select **Add Tracks to Collection** in the menu that appears.


To select multiple tracks, press and hold **Ctrl** (Windows) or **⌘** (macOS) and click each one. You can also press and hold **Shift** to select all tracks from the currently selected one to the one you click.

Importing Traktor Playlists

Engine Prime also allows you to import Traktor music playlists as Engine Prime playlists or crates.

To import Traktor playlists, use one of the following methods:

- Right-click the Traktor playlist and choose **Import as Playlist** or **Import as Crate**.
- Click and drag the Traktor playlist directly to the Collection pane. This will create a playlist or a crate, depending on where you drag the Traktor playlist to.



Using a Rekordbox® Library

If you use Rekordbox® on your computer, you can add tracks from your Rekordbox library into your Engine Prime Library and Engine Prime Target databases. This will also import Rekordbox Cue and Loop points from files added in the Rekordbox library.

To view tracks in your Rekordbox library:

1. First, make sure you have exported your library from Rekordbox as an XML file.
2. In Engine Prime, make sure Rekordbox Library Integration is set to **On** in the Library Preferences menu. See [Operation > Adjusting Settings > Preferences](#) to learn about this.
3. Click the **Rekordbox** icon in the Collection pane.
4. Click **Update Rekordbox Library**.
5. Locate the XML file you exported from Rekordbox and click **Open**. Your Rekordbox library will appear in the track list (this may take a few minutes if you have a large Rekordbox library).

Tip: You can search for tracks in the Rekordbox library as you normally would in **Engine Prime**. See [Searching for Tracks](#) to learn about this.

To add tracks from Rekordbox to your Engine Prime Library or Engine Prime Target database, use one of the following methods:

- Click and drag them from the track list onto the **Collection** icon of your **Engine Prime Library** or **Engine Prime Target**. You can also drag the tracks directly to a crate or sub-crate.
- Right-click on the track(s) and select **Add Tracks to Collection** in the menu that appears.


To select multiple tracks, press and hold **Ctrl** (Windows) or **⌘** (macOS) and click each one. You can also press and hold **Shift** to select all tracks from the currently selected one to the one you click.

Importing Rekordbox Playlists

Engine Prime also allows you to import Rekordbox music playlists as Engine Prime playlists or crates.

To import Rekordbox playlists, use one of the following methods:

- Right-click the Rekordbox playlist and choose **Import as Playlist** or **Import as Crate**.
- Click and drag the Rekordbox playlist directly to the Collection pane. This will create a playlist or a crate, depending on where you drag the Rekordbox playlist to.



Adding & Deleting Tracks

This chapter explains how to add tracks to, or delete tracks from, your Engine Prime Library or an Engine Prime Target device.

Notes:

If Auto Analyze is **on**, Engine Prime will automatically analyze all tracks you add to your Engine Prime Library. A progress bar will appear at the bottom of the window to indicate the current status. See [Adjusting Settings > Preferences](#) to learn about this.

If you try to quit Engine Prime while analyzing tracks, an alert window will appear. Click **YES** to quit Engine Prime, or click **NO** to continue the analysis. You can choose to have Engine Prime **Keep open** when complete, **Quit** when complete, or **Shutdown** your computer when complete. If you quit Engine Prime, the analysis will resume the next time you open Engine Prime.

You can also add tracks from an iTunes/Apples Music library, Serato library, Traktor library or Rekordbox library. See [Importing Libraries](#) to learn about this.

Important: Do not rename a connected USB drive after you add tracks from it. This will prevent Engine Prime from detecting those tracks. If you do rename the USB drive, make sure to rename it so it uses the name it had when you originally added the tracks.

To add tracks to Engine Prime, use one of the following methods:

- Click and drag a track or folder from **Explorer** (Windows) or **Finder** (macOS) onto the track list. You can do this with single or multiple tracks or folders.
- Use the **File System Browser** in the Collection pane to search for files on your computer. Click and drag a track or folder from here to your **Collection**.

To add tracks to an Engine Prime Target device:

1. In the Collection pane, click the **Devices** icon to open the media devices pane.
2. Click and drag a track or folder from **Explorer** (Windows) or **Finder** (macOS) onto the track list. You can do this with single or multiple tracks or folders.

Alternatively, you can also use the **File System Browser** in the Collection pane to search for files on your computer. Click and drag a track or folder from here to the device's **Collection**.

Notes:

If you add a track to an Engine Prime Target device, it will automatically be added to the Engine Prime Library, as well.

If you have added a track to an Engine Prime Target device before, the database will update (and therefore overwrite) the track's information, but the track itself will not be copied, so you do not need to worry about wasting space with duplicate tracks.

To delete tracks from Engine Prime or an Engine Prime Target device:

1. In the track list, click the track you want to delete. To select multiple tracks, press and hold **Ctrl** (Windows) or **⌘** (macOS) and click each one. You can also press and hold **Shift** to select all tracks from the currently selected one to the one you click.
2. Right-click the track(s) and select **Remove from Collection** in the menu that appears.

Important:

Deleting a track from Engine Prime Library or an Engine Prime Target will **not** delete it from its original location on your computer or USB drive.

Deleting a track from Engine Prime Library will **not** delete it from an Engine Prime Target—and vice versa.

Deleting a track from an Engine Prime Target on one USB drive will remove it from that Engine Prime Target only. It will **not** affect an Engine Prime Target on other USB drives.

Sync Manager


The Sync Manager tool allows you to quickly sync playlists, crates and performance data between your Engine Prime Library and your USB hard drive or flash drive.

To open Sync Manager, press the Sync Manager button in the bottom-left corner of Engine Prime.

In the Sync Manager window, you can access any drives connected to your computer. If no compatible drives are detected, you will be prompted to insert one.

Use the dropdown menu to select the drive you would like to sync with. If a connected drive contains an Engine Prime Profile, a **Profile** icon will be shown, which you can click on to view the drive's Profile. See [Using USB Drives > User Profiles](#) for more information. There is also an **Eject** button which can be used to eject the drive. Drives that have operations in progress cannot be ejected.

If a drive you are using is not supported by Engine Prime and Sync Manager, a warning icon will appear. Hover your mouse cursor over the icon to display a tooltip with further information.




Export to External Device

Once you have selected a drive, you can use Sync Manager to easily export music to use on Engine OS hardware. Use the Collection pane to browse Playlists/Crates from your Engine Prime home collection, and check the boxes next to the Playlist/Crate name to select it. Selecting a top-level folder will select all subfolders.

The total file size of the selected Playlists/Crates will be shown at the bottom of the collection view, along with a drive capacity indicator. If you select more files than can fit on the connected drive, the capacity bar will turn red. Deselect some Playlists/ Crates until you are under the maximum capacity to continue.

After you have selected what you want to add to the target device, click the **Export to Drive** button at the bottom of the Collection pane. The selected files and associated Engine Prime data will be copied over to the device. A progress bar will indicate how long the export will take.

To cancel the export in progress, click **Cancel**. Any remaining files to be exported will be cancelled, but any files already exported will remain on the device until they are removed.



If your device already contains Playlists/Crates exported from Engine Prime, you can easily select and add different playlists to add to the device while removing unwanted files at the same time.

Select the Playlists/Crates you would like to add to the target device. Make sure that Playlists/Crates you want to remove from target device are deselected in the Collection pane, and then click **Export to Drive**.


If a Playlist/Crate appears on the target device but is not selected in the Engine Prime collection when the export begins, a pop-up will appear warning that there are tracks that will be removed from your drive on Export. Click **Yes** to continue, or click **No** to cancel. If a file removed from one Playlist/Crate appears in another Playlist/Crate that is still on the target device, it will remain on the target device.

Sync Metadata to Engine Prime

You can also use Sync Manager to sync metadata changes to files made from Engine OS players back into your Engine Prime home collection.

With your drive connected and selected in Sync Manager, click the **Sync Metadata** button. Sync Manager will proceed to update the following track metadata in your Engine Prime home collection:

| | | | |
|-----------------------|--------------------|----------------------|------------|
| Cue Points | Loop Points | Waveform Data | BPM |
| Hot Cue Points | Beat Points | Star Rating | Key |



Once the operation is complete, or if there is no new information to sync, the Sync Metadata button will be disabled.

To cancel the sync operation, click **Cancel**. Any remaining information updates will not be synced with Engine Prime.

Searching for Tracks

To search for tracks using the filters:

1. In the Collection pane, click the location where you want to search: **Crates** or **Devices**. The track list will display all tracks in that location.
2. In the Collection pane, select a crate or sub-crate from your Engine Prime or Engine Prime Target device Collection. The track list will display all tracks in that location.
3. Under any one or more of the filter columns, click a category whose tracks you want to show: **Genre**, **Artist**, **Album**, **BPM**, or **Key**. Only the tracks in that category will be shown in the track list.

To select multiple categories in a filter column, press and hold **Ctrl** (Windows) or **⌘** (macOS) and click each one. You can also press and hold **Shift** to select all categories from the currently selected one to the one you click.

To search for tracks by word:

1. In the Collection pane, click the location you want to search: **Crates**, **Playlists**, **iTunes/Apple Music Library**, **Serato Library**, **Traktor Library**, **Rekordbox Library**, **File System Browser**, or **Devices**. The track list will display all tracks in that location.
2. Click the word search field, and use your computer keyboard to enter text into the field. All tracks containing that text will be shown in the track list.

The following information can be referenced during searches:

| Search All | Album | Comment | Genre | Composer | File Type |
|------------|--------|---------|-------|-----------|--------------|
| Title | Length | BPM | Year | Mixartist | Date Created |
| Artist | Key | Track # | Label | Filename | Date Added |

To search for multiple words, enter a space between each word. All tracks that include **all** of the words will be shown in the track list.


To show tracks with the word(s) you entered only within a specific category, click the magnifying glass icon (🔍), select a category, and enter text into the word search field.

To clear the search field, click **X**.

Using Crates

You can manage the tracks in your library by sorting them into “crates.” A crate will reference the tracks in it as well as the tracks in any sub-crates below it. You can create up to 8 levels of sub-crates. Multiple sub-crates can be created on the same level.

Note: When viewing a crate on an Engine Prime-compatible player, the tracks will be sorted by their titles.



Creating Crates

To create a crate, use one of the following methods while viewing **Crates** in the Collection pane:

- Click the plus (+) icon next to **Collection**, or press **Ctrl+N** (Windows) or **⌘+N** (macOS) on your computer keyboard to add a new crate.
- Right-click the main Collection crate and select **Create Crate** in the menu that appears.

To create a sub-crate, use one of the following methods while viewing **Crates** in the Collection pane:

- Hover the mouse over the "destination" crate and click the plus (+) icon. A sub-crate will be created under the destination crate.
- Right-click the "destination" crate and select **Create Crate** in the menu that appears.

Adding & Deleting Tracks

To add tracks to crate or sub-crate, click and drag them from the track list onto the destination crate or sub-crate.

To delete tracks from a crate or sub-crate, right-click on the track you would like to delete and select **Remove From Crate**.

To select multiple tracks, press and hold **Ctrl** (Windows) or **⌘** (macOS) and click each one. You can also press and hold **Shift** to select all tracks from the currently selected one to the one you click.

Moving & Editing Crates

To move a crate or sub-crate, click and drag it onto its destination in the Collection pane. The crate or sub-crate and all of its contents (including other sub-crates) will become sub-crates of the destination crate.

To add a crate to a USB drive:

- In the Collection pane, click on the **Devices** icon to open the media devices panel.
- Click and drag the crate onto the device's **Collection** or onto its destination crate.

To rename a crate, double-click the desired crate, or right-click and select **Rename** in the menu that appears. Press **Enter** or click outside the field to apply the changes.

Deleting Crates

To delete a crate or sub-crate, right-click on the crate or sub-crate and select **Remove**.

Exporting Crates

To export a crate, right-click the crate and select **Export** in the menu that appears. Crates can be exported as CSV, M3U or JSON files.

Using Playlists

You can use playlists to manage tracks and the order in which they play.

Note: When viewing a playlist on an Engine OS player, the tracks will be sorted by the order in which you added them to the playlist.

Creating Playlists

To create a playlist, use one of the following methods while viewing **Playlists** in the Collection pane:

- Click the plus (+) icon next to **Playlists**, or press **Ctrl+N** (Windows) or **⌘+N** (macOS) on your computer keyboard to add a new playlist.
- Right-click a playlist and select **Create Playlist** in the menu that appears.

To create a playlist folder, right-click a playlist and select **Create Playlist Folder** in the menu that appears.

Adding & Deleting Tracks

To add tracks to a playlist, click and drag tracks from the track list onto the playlist. The tracks will be numbered according to the order they were added to the playlist. You can add up to **1,000** tracks to each playlist. You can add the same track to a playlist multiple times.

To delete tracks from a playlist, right-click the track(s) in the track list and select **Remove From Playlist** in the menu that appears.

Moving & Editing Playlists

To add a playlist to a USB drive, click and drag the desired playlist onto **Playlists** under the **Engine Prime Target** device.

To reorder tracks in a playlist:

1. Click a playlist to select it.
2. Click and drag the tracks in the track list to the desired location in the track order.

To reorder playlists in the **Playlists** area or in a **Playlist Folder**, click and drag the playlist to the desired location.

To rename a playlist, double-click the desired playlist, or right-click the playlist and select **Rename** in the menu that appears. Press **Enter** or click outside the field to apply the changes.

Deleting Playlists


To delete a playlist, right-click the playlist and select **Remove** in the menu that appears.

Exporting Playlists

To export a playlist or playlist folder, right-click the playlist and select **Export** in the menu that appears. Playlists can be exported as CSV, M3U or JSON files.

Editing Tracks

You can use Engine Prime to set cue points, hot cue points, loop points, and beat points to use while DJing on a player in the future.



To prepare a track to edit, in the track list, double-click the track you want to edit, or click and drag it onto the waveform or editing controls above. The track will load, where you can play and/or edit it. Its waveform will appear, and its beat points will appear on the waveform.

Note: Loops and cues can be placed in the track before analysis is complete.

To skip to the previous or next track, press **Previous Track** or **Next Track**.


To find a position in your track, use one of the following methods:

- Click and drag the audio waveform to move through the track.
- Click on the track overview to jump to that location in the audio waveform.
- Press **Ctrl+→** or **Ctrl+←** (Windows) or **⌘+→** or **⌘+←** (macOS) on your computer keyboard to move to through the track based on the current beat jump resolution.

The track overview and audio waveform show the following information:

- The **waveform color-coding** indicates the frequency of the audio signal:
 - **Blue** represents low-frequency (bass) content.
 - **Green** represents mid-range-frequency content.
 - **White** represents high-frequency (treble) content.
- The **playhead** (the current track position) is a white line.
- **Beat points** are gray lines that are shown in the audio waveform only. See [Beat Points](#) to learn more.
 - The first beat of every measure is marked with **red**.
 - Beat points that have been adjusted with the **anchor tool** are marked with **yellow**.
- The **cue point** is a white triangle. See [Cue Points](#) to learn more.
- **Hot cue points** are triangles whose color depends on the performance pad. See [Hot Cue Points](#) to learn more.
- **Loop points** are white lines with shading between them. The color of saved loops depends on the performance pad. See [Loop Points](#) to learn more.

Beat Points




To edit the beat points, use the **Grid Edit Controls**.

Important: When the **Cue/Loop Quantization** feature is **on**, hot cue points and loop points will be automatically aligned according to the degree of quantization. See [Adjusting Settings > Preferences](#) to learn about this.

To adjust the position of the beat points:

- Use the **Downbeat Left/Right** buttons to move the beat points based on the current analyzed grid.
- Use the **Grid Left/Right** buttons to "slip" the entire grid left or right.
- Click the **Move Anchor** button to move the closest beat point to the position of the playhead. All other beat points will also shift accordingly.
- Click the **Delete Anchor** button to delete the closest anchor within a few beats.



To adjust the tempo:


- Use the **Tap Tempo** button to manually set a tempo based on repeated taps.
- Use the **+/- BPM** buttons to increase and decrease BPM in small increments.
- Use the **/2** and **2X** buttons to halve or double the current BPM.

To reset the beat points to the original analyzed tempo and grid, click the **Reset** button.


Cue Points

To set a cue point, click **Cue** at the desired location while paused. Now, when you click **Cue**, playback will start from that point.

Important: When the **Cue/Loop Quantization** feature is **on**, cue points will be automatically aligned according to the degree of quantization. See [Adjusting Settings > Preferences](#) to learn about this.



Hot Cue Points



To set a hot cue point, first make sure the performance pads are set to **Hot Cues**. Then do either of the following:

- Click a **performance pad (1–8)** at the desired location.
- Press the corresponding number key (**1–8**) on your computer keyboard at the desired location.

Note: When setting a hot cue on Layer B in Dual Layer mode, press **Alt +** the corresponding number key (**1–8**).

Now, when you click that hot cue performance pad (**1–8**), playback will start from that point.

Important:

The supported number of hot cue points differs depending on the player. For details, refer to your player's manual.


When the **Cue/Loop Quantization** feature is **on**, hot cue points will be automatically aligned according to the degree of quantization. See [Adjusting Settings > Preferences](#) to learn about this.

To delete a hot cue point, do either of the following:


- Right-click the hot cue performance pad (**1–8**) and click **Clear**.
- Press and hold **Shift** and press the corresponding number key (**1–8**) on your computer keyboard.

Note: When deleting a hot cue on Layer B in Dual Layer mode, press **Alt + Shift +** the corresponding number key (**1–8**).

To change the color of a hot cue point, right-click the hot cue performance pad (**1–8**) and select the desired color.



Loop Points



To set loop points (create a loop), first make sure the performance pads are set to **Loop**. Then do either of the following:


- Click a **performance pad (1–8)** at the location where you want to start the loop. Then, click the **performance pad (1–8)** again at the location where you want to end the loop. Loop playback will begin immediately.
- Press the corresponding number key (**1–8**) on your computer keyboard at the location where you want to start the loop. Then, press the corresponding key again on your computer keyboard at the location where you want to end the loop. Loop playback will begin immediately.

Note: When setting a loop on Layer B in Dual Layer mode, press **Alt +** the corresponding number key (**1–8**).

To set loop points manually, use the **Loop & Beat Jump Controls** deck mode and select **Manual**.

- **To set loop points:**

- Click **Loop In** at the location where you want to start the loop.
- Click **Loop Out** at the location where you want to end the loop. Loop playback will begin immediately.




- **To increase the length of a loop,** click **X2**. The length of the loop will double each time you click it (e.g., twice its original length, 4 times its original length, 8 times..., and then 16 times).
- **To decrease the length of a loop,** click **/2**. The length of the loop will be halved each time you click it: (e.g., 1/2 of its original length, 1/4 of its original length, 1/8..., and then 1/16).
- **To shift the entire loop,** click **Shift Left** or **Shift Right**.
- **To play the loop,** click **Loop Enable** while the loop is inactive. The loop will play immediately from its start point and repeat when it reaches its end point. Click **Loop Enable** again to deactivate the loop. Playback will continue beyond the Loop Out point.
- **To restart the loop,** click **Re-Loop** while playback is active. The loop will return to its start point.
- **Note:** If a manual loop is active, clicking a **performance pad** in Loop mode will save the manual loop to that slot.

To set an auto loop, use the **Loop & Beat Jump Controls** deck mode and select **Auto / Jump**.

- To set loop points, click **Loop** at the desired location. Loop points will be automatically set based on the BPM, and loop playback will begin immediately.

Important: When the **Cue/Loop Quantization** feature is **on**, loop points will be automatically aligned according to the degree of quantization. See [Adjusting Settings > Preferences](#) to learn about this.




- To increase the length of a loop, click **X2**. The length of the loop will double each time you click it (e.g., twice its original length, 4 times its original length, 8 times..., and then 16 times).
- To decrease the length of a loop, click **/2**. The length of the loop will be halved each time you click it: (e.g., 1/2 of its original length, 1/4 of its original length, 1/8..., and then 1/16).
- To stop playing the loop, click **Loop** while the loop is active. When playback reaches the loop's end point, it will continue through the track and not return to its start point.
- **Note:** If an auto loop is active, clicking a **performance pad** in Loop mode will save the auto loop to that slot.

To delete a loop point, do either of the following:

- Right-click the loop performance pad (1–8) and click **Clear**.
- Press and hold **Shift** and press the corresponding number key (1–8) on your computer keyboard.

Note: When deleting a loop on Layer B in Dual Layer mode, press **Alt + Shift +** the corresponding number key (1–8).



To change the color of a loop, right-click the loop performance pad (1–8) and select the desired color.

ID3 Tags

ID3 tags are a track's metadata—information about the track that is stored in the file itself: the title, artist, album, track number, etc. You can update and edit these ID3 tags within Engine Prime.

To update a track's information:

1. In the track list, click a track whose tags you want to update.
2. Click inside the field you would like to edit. You can edit any of the following fields:

| | | | | | |
|---------------|--------------|----------------|--------------|-----------------|------------------|
| Title | Album | Comment | Genre | Label | Mixartist |
| Artist | Key | Track # | Year | Composer | |

Re-Analyzing Tracks

When Engine Prime analyzes a track, it will detect or process the track's waveform data, BPM value, and beat point data. Additionally, it will find any cue points, hot cue points, or loop points within the track (created in Engine Prime, Rekordbox, or Serato DJ).

Important: In order to use Serato DJ or Rekordbox cue points, hot cue points, or loop points within a track, you must first add it to your Engine Prime Library and/or Engine Prime Target and analyze it. See [Importing Libraries](#) to learn about this.

Tip: Keep the Auto Analyze feature **on** so tracks will be automatically analyzed when you add them to your Engine Prime Library. See [Adjusting Settings > Preferences](#) to learn about this.

If you previously changed the BPM value or beat points of a track and later want to restore the original value or locations, you can re-analyze the track.

To re-analyze a track:

1. In the track list, click a track you want to re-analyze. To select multiple tracks, press and hold **Ctrl** (Windows) or **⌘** (macOS) and click each one. You can also press and hold **Shift** to select all tracks from the currently selected one to the one you click.
2. Right-click the track(s) and select **Re-analyze Tracks** in the menu that appears.

Showing the Track Location

You can immediately open a track's location on your computer or on a connected USB drive. This is useful if you want to rename or move the file itself.

To open a track's location on your computer or USB drive:

1. In the track list, click the track you want to locate. To select multiple tracks, press and hold **Ctrl** (Windows) or **⌘** (macOS) and click each one. You can also press and hold **Shift** to select all tracks from the currently selected one to the one you click.
2. Right-click the track(s) and select **Show in Explorer** (Windows) or **Show in Finder** (macOS) in the menu that appears.

Appendix

Troubleshooting

| Problem | Solution |
|---|---|
| I cannot add tracks to Engine Prime. | <p>If you are using a Windows computer, make sure Apple® QuickTime® is installed and up-to-date. If it is not, download and install the latest version from: apple.com/quicktime</p> <p>Make sure that Engine Prime supports the format of the track you want to add. See Operation > Adjusting Settings > Preferences > Library.</p> <p>Make sure that the track's album art image is smaller than 1 MB.</p> |
| While editing a track, audio playback is noisy. | <p>Make sure that your audio settings are properly configured. See Operation > Adjusting Settings > Preferences > Performance.</p> <p>Increase the playback buffer size. See Operation > Adjusting Settings > Preferences > Performance.</p> <p>If Engine Prime is analyzing tracks, wait to edit until the analysis is complete. (Engine Prime operates slightly slower during track analysis.)</p> |
| I cannot copy the Engine Prime Target file. | Make sure that you have enough free space on your USB drive. You will need more space than the total file size. |
| My player cannot play tracks from Engine Prime Target on a USB drive. | Make sure that your player supports the format and capacity of your USB drive. |

Keyboard Shortcuts

Utility

| Function | macOS | Windows | Explanation |
|---------------------|-----------------|----------|--|
| Tool Tips | ⌘ (Command) + T | Ctrl + T | Shows relevant information about a feature when moused over. |
| Open Preferences | ⌘ + , | Ctrl + , | Opens the Preferences window. |
| Cancel / Close Menu | Esc | Esc | Cancels the current action or closes a menu. |
| Full Screen | ⌘ + Ctrl + F | F11 | Sets the application to full screen mode. |
| Quit Application | ⌘ + Q | Alt + F4 | Quits Engine Prime. |

Navigation

| Function | macOS | Windows | Explanation |
|------------------------------------|-----------------------|-----------------------|--|
| Place Cursor in Search Field | ⌘ + F | Ctrl + F | Moves your cursor to the search field. Use your computer keyboard to enter text into the field. |
| Cycle Between Collection Pane | Option + Tab | Ctrl + Tab | Cycles between the different areas in the Collection pane—Crates, Playlists, iTunes/Apple Music, Serato, and File Browser. |
| Waveform Zoom In | ⌘ + Plus (+) | Ctrl + Plus (+) | Zooms in both Layers' waveforms. |
| Waveform Zoom Out | ⌘ + Minus (-) | Ctrl + Minus (-) | Zooms out both Layers' waveforms. |
| Waveform Zoom Reset | ⌘ + 0 | Ctrl + 0 | Resets both Layers' waveforms to their default level. |
| New Crate / Playlist | ⌘ + N | Ctrl + N | Creates a new top-level crate or playlist. |
| Show / Hide Devices Panel | ⌘ + D | Ctrl + D | Opens or closes the Devices panel. |
| Navigate Track/Tree List Up / Down | ↑/↓ (Up/Down) | ↑/↓ (Up/Down) | Navigate up and down the Track List or Tree List. |
| Expand / Collapse Folders & Crates | ⇐/⇒ (Left/Right) | ⇐/⇒ (Left/Right) | Expands or collapses crates or folders that contain sub-crates or sub-folders. |
| Navigate Area Next | Tab | Tab | Switches the focus to the next open panel. |
| Navigate Area Previous | Shift + Tab | Shift + Tab | Switches the focus to the previous open panel. |
| Show / Hide Filter Boxes | F | F | Opens or closes the Filter Boxes. |
| Select All Tracks | ⌘ + A | Ctrl + A | Selects all tracks displayed in the track list. |
| Select Multiple Tracks | Shift + ↑/↓ (Up/Down) | Shift + ↑/↓ (Up/Down) | Selects multiple tracks. |

Transport

| Function | Layer | macOS | Windows | Explanation |
|-------------------|-------|-------------------|------------------|--|
| Load Track | A | ⌘ + 1 | Ctrl + 1 | Loads the selected track to the respective deck. |
| | B | ⌘ + 2 | Ctrl + 2 | |
| Cue | A | C | C | Sets the initial Cue Point at the current playhead position. |
| | B | Option + C | Alt + C | |
| Play / Pause | A | Spacebar | Spacebar | Plays and pauses the deck. |
| | B | Option + Spacebar | Ctrl + Spacebar | |
| Beat Jump Back | A | ⌘ + ⬅ (Left) | Ctrl + ⬅ (Left) | Skips the playhead backwards by the selected number of beats. |
| | B | ⌘ + Option + ⬅ | Ctrl + Alt + ⬅ | |
| Beat Jump Forward | A | ⌘ + ➡ (Right) | Ctrl + ➡ (Right) | Skips the playhead forward by the selected number of beats. |
| | B | ⌘ + Option + ➡ | Ctrl + Alt + ➡ | |
| Previous Track | A | ⌘ + ⬆ (Up) | Ctrl + ⬆ (Up) | Loads the previous track in the track list, or restarts a currently playing track. |
| | B | ⌘ + Option + ⬆ | Ctrl + Alt + ⬆ | |
| Next Track | A | ⌘ + ⬇ (Down) | Ctrl + ⬇ (Down) | Loads the next track in the track list. |
| | B | ⌘ + Option + ⬇ | Ctrl + Alt + ⬇ | |

Playback

| Function | Layer | macOS | Windows | Explanation |
|---------------------------------------|-------|----------------------|-------------------|---|
| Elapsed / Remaining Time | Both | T | T | Switches the Time Counter between Elapsed and Remaining time. |
| Sync | Both | S | S | Automatically matches the BPM and phase of the decks to each other. |
| Sync Off | Both | Shift + S | Shift + S | Turns Sync off. |
| Keylock | A | K | K | Allows for the track to be played in the original key regardless of speed. |
| | B | Option + K | Alt + K | |
| Store / Trigger Performance Pad (1–8) | A | 1–8 | 1–8 | Stores or triggers a Hot Cue or Loop, depending on the currently selected mode. |
| | B | Option + 1–8 | Alt + 1–8 | |
| Delete Performance Pad (1–8) | A | Shift + 1–8 | Shift + 1–8 | Deletes an existing Hot Cue or Loop. |
| | B | Option + Shift + 1–8 | Alt + Shift + 1–8 | |
| Hot Cues Edit Mode | A | ⌘ + K | Ctrl + K | Sets the Performance Pads to Hot Cue Mode. |
| | B | ⌘ + K | Ctrl + Alt + K | |
| Loops Edit Mode | A | ⌘ + L | Ctrl + L | Sets the Performance Pads to Loop Mode. |
| | B | Option + L | Ctrl + Alt + L | |
| Set Grid Marker | A | M | M | Sets a custom grid marker. |
| | B | Option + M | Alt + M | |
| Delete Grid Marker | A | Shift + M | Shift + M | Deletes a custom grid marker within a few beats. |
| | B | Option + Shift + M | Alt + Shift + M | |

Technical Specifications

| | | |
|------------------------------------|--|---|
| Supported Operating Systems | Windows 8.1, Windows 10 (64 bit) macOS 10.13–10.15 | |
| Library Support | iTunes 10, iTunes 11, iTunes/Apple Music 12 Serato DJ Traktor Rekordbox | |
| Maximum Database Size | Files | ≤ 100,000 playable files (Recommended database size of 50,000 tracks or less for search speed optimization) |
| | Crates | ≤ 512 crates with 7 sub-crate layers |
| | Playlists | ≤ 512 playlists |
| Playable Media | Type | SD/SDHC card USB mass-storage devices (flash memory, external HDD enclosures) |
| | File Systems | exFAT FAT32 (recommended) HFS+ (read-only) NTFS (read-only) |
| | File Formats | AAC/M4A AIF/AIFF (44.1–192 kHz, 16–32-bit) ALAC FLAC MP3 (32–320 kbps, VBR) MP4 Ogg Vorbis WAV (44.1–192 kHz, 16–32-bit) |

Specifications are subject to change without notice.

Trademarks & Licenses

Denon is a trademark of D&M Holdings Inc., registered in the U.S. and other countries. Denon DJ products are produced by inMusic Brands, Inc., Cumberland, RI 02864, USA.

Engine Prime incorporates élastique Pro V3 and [tONaRT] V2 by zplane.development.

macOS, iTunes, Apple Music, and QuickTime are trademarks of Apple Inc., registered in the U.S. and other countries.

Rekordbox® is a registered trademark of Pioneer DJ Corporation. inMusic is not affiliated with Pioneer DJ and use of the rekordbox® name has not been authorized, sponsored or otherwise approved by Pioneer DJ.

SD and SDHC are registered trademarks of SD-3C, LLC.

Serato, Serato DJ, and the Serato logo are registered trademarks of Serato Audio Research.

Traktor® is a registered trademark of Native Instruments GmbH.

Windows is a registered trademark of Microsoft Corporation in the United States and other countries.

All other product names, company names, trademarks, or trade names are those of their respective owners.

This product uses software and technology under license. Please visit denondj.com/product-legal for a complete list.

DENONDJ.COM